

# **Pricing Information**

# Wood Species Charges

The base prices found on the following pages are for oak, hickory, rustic hickory, and rustic alder cabinets. When ordering cabinets with a wood species upcharge, the upcharge is applied to the basic cabinet price as well as other items found in this catalog. For example, wood species upcharges will be added to cabinets, mouldings, corbels, posts, etc., but the upcharges will not be added to modifications and internal accessories. The following are Monarch's wood species charges:

| Oak                    | 0%  |
|------------------------|-----|
| Hickory                | 0%  |
| Rustic Hickory         | 0%  |
| Rustic Alder           | 0%  |
| Poplar                 | -5% |
| Painted Maple          | -5% |
| Maple & Rustic Maple   | 8%  |
| Alder                  | 8%  |
| Quartersawn Oak        | 8%  |
| Cherry & Rustic Cherry | 12% |
|                        |     |

#### **Finish Upcharges**

The prices listed in this catalog include a choice of standard finishes. Anything found on the list below is not considered a standard finish, and may carry an upcharge (in addition to any wood upcharge that may apply). Exterior finish upcharges are applied to all basic cabinet's charges, as well as many items found in the Accessories, and Mouldings sections of this catalog. The upcharge is not added to modifications.

| Paints Stain/Glaze Combinations [Chocolate, Burnt Cotton, Buttermilk] Paint/Glaze Combinations [Chocolate, Burnt Cotton, Buttermilk, Pewter]         | 10%<br>5%<br>20%  |
|--|-------------------|
| Shadowline Accent [Black, White, Chocolate, VanDyke Brown, Pewter, Burnt Umber,]<br>Specialty Paints [Antique Sable] 15%                             | N/C               |
| Weathered [Black, Green, White]  | 10%               |
| Americana [rounded corners and patina on corners only] Old World Distressing [rounded corners, cracks, dents, wormholes, chip outs, patina] Heirloom | 10%<br>20%<br>25% |
| Stain Match (minimum)  | 18%               |
| Paint Match (minimum)  | 15%               |
| Unfinished   | -5%               |

# **Pricing Information Cont'd**

| Ala Carte Distressing: | (requires sample door or waive | r) |
|------------------------|--------------------------------|----|
| Worn Corners           | worn, rounded corners          | 5% |
| Burn Through           | edges of finish worn through   | 5% |
| Cracks                 | simulated cracked joints       | 2% |
| Dents                  | dents                          | 2% |
| Worm Holes             | Worm Holes and Clusters        | 2% |
| Chip Outs              | chip outs along edges          | 2% |
| Splits                 | simulated splits in wood       | 2% |
| Planed                 | hand planning on flat areas    | 5% |

#### **Custom Color Matches**

A signed Sample Door Match Approval form is required before ordering a wood & finish that is not on the Monarch color matrix. Monarch reserves the right to refuse certain matches depending on complexity, technique, products involved, etc. Be sure to get your match approved prior to final order.

#### **Color Match Procedures:**

- 1) Send in an order for a match sample door along with a color sample or a manufacturers paint color number to Monarch .
- 2) Monarch will assign a color Match #.
- 3) Finish will be matched and applied to two match sample doors. One will be retained by Monarch for reference and the other will be sent to the dealer for customer approval along with the match approval form
- 4) Once the Sample Door Match Approval form is signed, it can be returned to Monarch along with the cabinet order.

#### **Pricing for Color Match Procedure**

Paint Match \$655 + cost of sample door Stain Match \$655 + cost of sample door

#### **Pricing for Match Finish upon Order**

Paint Match minimum finish charge = greater of 15% of list or \$655 list + wood upcharge Stain Match minimum finish charge = greater of 18% of list or \$655 list + wood upcharge

#### Ex. 1 (match fee exceeds minimum amt.)

| <b>Total List Price of Cabinetry</b> | \$5,000 |
|--------------------------------------|---------|
| Paint Match @ 15%                    | \$750   |
| Match Finish Upcharge                | \$750   |

Ex. 2 (match fee minmum applies)

| <b>Total List Price of Cabinetry</b> | \$3,000 |
|--------------------------------------|---------|
| Paint Match @ 15%                    | \$450   |
| Match Finish Upcharge                | \$655   |

The actual cost of the match finish may be higher depending on the process necessary (glazing, etc.) to achieve the actual finish. The percentage upcharge & minimum charge will be clearly shown on the match approval form that will accompany the match sample door that Monarch produces for you.

#### **Credit Terms**

Credit terms are established by completing a Monarch Credit Application. A credit application must be filled out & credit terms established prior to ordering.



## **Drawerbox & Guide Selection**

**Veneered Dovetail Drawers** sides and backs are 5/8" thick all wood maple with a clear finish. The drawer bottoms are 1/4" plywood and are fully captured by the drawer sides, front and back. Dovetail joints are secured with adhesive and the bottom is secured with fasteners. Available guides shown below.



**Solid Maple Dovetail Drawers** sides and backs are 5/8" thick solid maple with a clear finish. The drawer bottoms are 1/4" plywood and are fully captured by the drawer sides, front and back. Dovetail joints are secured with adhesive and the bottom is secured with fasteners. Available guides shown below.



# **Finish Availability**

Red Oak **Hickory/Rustic Hickory** 

American Walnut American Walnut Black Walnut Black Walnut **Custom Cherry** Brindle Natural Colony

#50 Walnut Colony/Choc Glaze Weathered Custom Cherry

(White/Green/Black) Java

Natural

New Prairie Oak #50 Walnut

Alder/Rustic Alder

American Walnut Black Walnut Cherry Mahogany Custom Cherry

Natural

Natural/Burnt Cotton Glaze

New Prairie Oak #50 Walnut Sandstone

Maple/Rustic Maple

**Cherry/Rustic Cherry** American Walnut American Walnut

American Walnut/Choc Glaze American Walnut/Choc Glaze

Amish Honey Black Walnut Autumn Haze Cherry Mahogany

Black Walnut Cherry Mahogany/Burnt Cotton

Cherry Mahogany Glaze Cocoa Cocoa Coffee Colony

Colony **Custom Cherry** 

**Custom Cherry** Java Graphite Natural

New Prairie Oak Natural

Natural/Burnt Cotton Glaze Platinum Platinum Rouge

Rouge/Burnt Cotton Glaze #50 Walnut

Rouge Tuscan

Tuscan

Quarter Sawn Oak

#50 Walnut

Java

New Heritage

Smoke

Monarch colors are not interchangeable between woods. We reserve the right to refuse any color/ wood combinations not listed above.

# Finish Availability Cont'd

## **Painted Maple**

Acier

Antique Sable

Black

Coastal Plain

Corn Silk

Dovetail

French Silk

Grizzle Gray

Indigo Batik

Linen White

Linen White/Buttermilk Glaze

Linen White/Chocolate Glaze

Linen White/Pewter Glaze

Mink

Naval

Ocean Mist

Patriot Blue

Polar White

Repose Gray

Salted Caramel

Sheraton Sage

Silver Mist

Summer

White Dove

#### **Poplar**

American Walnut

Amaretto

Carbon

Cocoa

Driftwood

Java

Platinum

Rouge

Sandstone


Monarch colors are not interchangeable between woods. We reserve the right to refuse any color/ wood combinations not listed above.

|          |   |  | Available Profiles |
|----------|---|--|--------------------|
|          | Coventry  |  |                    |
|          | Price Col 10  |  | NA                 |
|          | Min. Size 6" x 9"   |  |                    |
|          | Construction Slab   |  |                    |
|          | -Veneered Edgebanded door   |  | OE-3               |
|          | -Glass doors will be cope & stick construction with IP-3 profile.               | Poplar, Rustic alder, rustic hickory,<br>and quartersawn oak are not<br>available.   |                    |
| End View | -Minimum Door Size: 6" x 9"  -Matching Drawer Front > Coventry—Horizontal Grain | -When veneered material is<br>finished, it does not take stain like<br>solid material. As a result of this,<br>the frame and door may not match<br>perfectly. If this is not acceptable, | NA NA              |
|          | Coventry—norizontal Grain   | avoid ordering this door style.  |                    |



## **Prepared For Glass**

## **DI-PFG**



-Door Frame cut for glass.


-A special route is provided to hold a rubber retainer gasket that will securely hold the glass in place.

-1/8" glass is not included.

| DI-PFG30 | \$ N/C |
|----------|--------|
| DI-PFG42 | \$ N/C |
| DI-PFG51 | \$ N/C |

### **Traditional Wood Mullions**

# **DI-TMULL**




-Standard 1/2" wood mullions

-Doors have one cross bar per 10" in height.

-A special route is provided to hold a rubber retainer gasket that will securely hold the glass in

-1/8" glass is not included.


Not available with the Berthoud, Lakewood, Brookshire, Silverton, or Sheldon doors.





## **Contemporary Wood Mullions**

# **DI-CMULL**



-Open style 1/2" wood mullions.

-Doors have mullions at 1"spacing from inside edge unless otherwise specified.

-A special route is provided to hold a rubber retainer gasket that will securely hold your glass in place.

-1/8" glass is not included.

mullions added for stability



-Not available with the Berthoud, Lakewood, Brookshire, Silverton, or Sheldon doors.

-Over 36" tall doors will have 2 horizontal center

DI-CMULL30 (up to 30" tall door) \$235 DI-CMULL42 (30" to 42" tall door) \$313 DI-CMULL51 (42" to 51" tall door) \$313

D-20

Job Name

Item#

 $\bigcirc 20$ 

**Additional Instructions:** 

| MONARCH CABINETRY Order Date  | (1)    Job#  |
|---|--|
|   |  |
| ver Sheet/Order Form—Signature Se- Original Change O  | Order Finish Up Items for rder original order #  |
| Name Room   | Salesper- 5  |
| 3   | Requested Ship 6   |
| Name 7 Name   | 8  |
| Street Street   |  |
| City State Zin City State   |  |
| City State Zip City State   | Zip  |
| Delivery  |  |
| Pickup Phone # for delivery: Directions:  |  |
| Ship to Showroom Ship to Jobsite  |  |
| Construction 12 Doors 14  | Drawers 15   |
| ☐ Inset—Flush ☐ Furn. Bd/ Wall Door Style   | ☐ Standard Slab (matches door  |
| ☐ Inset— Vinyl Base Door Style  Pull, Bd/ Vinyl □ Ply/UV  Base Door Style   | □ profile) Optional—5 piece upcharge   |
| Wood 13 Outside Edge  | (matches door profile)  Optional—slab with OE12  |
| Oak   Maple   Inside Profile  |  |
| Panel Profile   |  |
| D p tri G D O'sawn Oak  | 16 Treatment 17  |
|   |  |
| □ Paint Maple □ □ Rust. Cherry □ Rust. Alder □ Glaze/Shadowline □ □ □ Rust. Alder   |  |
| 18 Drawer Box/Guide Combination   | Hinge 19   |
| □ Dovetail Veneered/Conc. Full Ext. Soft Close— Premium □ Concealed—Inset □ SFTCLSDR—Soft                                   | Close Doors (Modification will apply to all cabinets in this   |
| □ Dovetail Veneered/Epoxy □ Concealed 1/2" Ov   | The state of the s |
| □ Dovetail Veneered/Conc. Full Ext. Soft Close—Std. □ Dovetail Veneered/Conc. Full Ext. Soft Close—Prem. □ Youngdale 1/2" O |  |
| Dovetail Solid/Epoxy  | Close Doors (Modification will apply to all cabinets in this   |
| □ Dovetail Solid/Conc. Full Ext. Soft Close—Std. □ Dovetail Solid/Conc. Full Ext. Soft Close—Prem.                          |  |
| tem# Qty Catalog/Modification Code Special  | Instructions List Price  |
| 20 $21$ $22$ $22$   | 3  |
|   |  |
|   |  |
|   |  |
|   |  |
| + +   |  |
|   |  |
| dditional Instructions: 25  |  |
|   |  |




# Appliance Cut-Out Form—Microwave w/ Pullout Tray(s)

| Date:     | Dealer:      |
|-----------|--------------|
| Job Name: | Salesperson: |

Please fill in all necessary information and send this form in with the job.

| Item Name: |  |
|------------|--|
|------------|--|



| Notes: |  |  |
|--------|--|--|
|        |  |  |



# Appliance Cut-Out Form—Wall Microwave Cabinet

| Date:          |                                     | Dealer:              |                             |
|----------------|-------------------------------------|----------------------|-----------------------------|
| Job Name:      |                                     | Salesperson:         |                             |
|                | essary information and send this fo | orm in with the job. |                             |
| Item Name:     |                                     |                      |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
| Each DEP       |                                     |                      | Rail— Standard 1" Re<br>or: |
| ees opening by |                                     |                      |                             |
|                | Opening Heiş                        | ght:                 |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
|                | Opening Wid                         | ith:                 |                             |
|                |                                     |                      |                             |
|                |                                     |                      | Rail— Standard 1 1/2        |
|                | <b>V</b>                            | <b>─</b>             | or:                         |
|                |                                     |                      |                             |
|                |                                     |                      |                             |
|                |                                     |                      |                             |



 ${\it Use\ Door\ Style\ to\ determine\ price\ column}$ 

|         |  | Use Door Style to determine price column |      |      |      |      |       |        |      |      |      |      |  |
|---------|--|--|------|------|------|------|-------|--------|------|------|------|------|--|
|         |  |  |      |      |      |      | Price | e List |      |      |      |      |  |
|         |  | Order Item                               | 1    | 2    | 3    | 4    | 5     | 6      | 7    | 8    | 9    | 10   |  |
|         | Base with                                | Single                                   |      |      |      |      |       |        |      |      |      |      |  |
|         | Waste Basket                             | BPTR15                                   | 1216 | 1110 | 1052 | 1028 | 995   | 960    | 931  | 919  | 867  | 825  |  |
|         |  | BPTR18                                   | 1232 | 1129 | 1063 | 1042 | 1005  | 970    | 937  | 920  | 870  | 826  |  |
|         | Pull-Out Trash with sanitation partition | BPTR21                                   | 1249 | 1139 | 1079 | 1059 | 1023  | 987    | 952  | 941  | 879  | 835  |  |
|         | samtation partition                      |  |      |      |      |      |       |        |      |      |      |      |  |
|         | Single—35 quart                          |  |      |      |      |      |       |        |      |      |      |      |  |
|         | BPRB18—                                  |  |      |      |      |      |       |        |      |      |      |      |  |
|         | 35 quart                                 |  |      |      |      |      |       |        |      |      |      |      |  |
|         | BPRB21 & 24—                             |  |      |      |      |      |       |        |      |      |      |      |  |
|         | 35 quart                                 |  |      |      |      |      |       |        |      |      |      |      |  |
|         | Waste Basket made                        |  |      |      |      |      |       |        |      |      |      |      |  |
|         | of Durable, Molded<br>Polymer            | Double                                   |      |      |      |      |       |        |      |      |      |      |  |
|         | 1 Olymer                                 | BPRB18                                   | 1272 | 1169 | 1103 | 1082 | 1045  | 1010   | 977  | 960  | 910  | 866  |  |
|         |  | BPRB21                                   | 1289 | 1179 | 1119 | 1099 | 1063  | 1027   | 992  | 981  | 919  | 875  |  |
|         |  | BPRB24                                   | 1376 | 1258 | 1193 | 1170 | 1132  | 1093   | 1057 | 1042 | 981  | 938  |  |
| 1       |  |  |      |      |      |      |       |        |      |      |      |      |  |
|         |  |  |      |      |      |      |       |        |      |      |      |      |  |
| Base wi | ith Waste Basket                         | Single                                   |      |      |      |      |       |        |      |      |      |      |  |
|         | & Breadboard                             | BPTRBB15                                 |      |      | -    | 1152 | -     |        |      | -    |      | 949  |  |
|         |  | BPTRBB18                                 |      |      |      | 1199 |       |        |      |      |      | 982  |  |
|         | Pull-Out Trash with sanitation partition | BPTRBB21                                 | 1423 | 1315 | 1254 | 1232 | 1197  | 1162   | 1128 | 1114 | 1053 | 1010 |  |
|         | & Removable Wood                         |  |      |      |      |      |       |        |      |      |      |      |  |
|         | Breadboard                               |  |      |      |      |      |       |        |      |      |      |      |  |
|         | Single—35 quart                          |  |      |      |      |      |       |        |      |      |      |      |  |
|         | BPRB18—                                  |  |      |      |      |      |       |        |      |      |      |      |  |
| * 1/    | 35 quart                                 |  |      |      |      |      |       |        |      |      |      |      |  |
|         | BPRB21 & 24—                             | Double                                   |      |      |      |      |       |        |      |      |      |      |  |
|         | 35 quart                                 | BPRBBB18                                 | 1430 | 1327 | 1260 | 1239 | 1203  | 1168   | 1134 | 1118 | 1069 | 1022 |  |
|         | Waste Basket made                        | BPRBBB21                                 | 1463 | 1355 | 1294 | 1272 | 1237  | 1202   | 1168 | 1154 | 1093 | 1050 |  |
|         | of Durable, Molded                       | BPRBBB24                                 | 1578 | 1460 | 1396 | 1371 | 1334  | 1295   | 1259 | 1246 | 1182 | 1141 |  |
|         | Polymer                                  |  |      |      |      |      |       |        |      |      |      |      |  |
| JES J   |  |  |      |      |      |      |       |        |      |      |      |      |  |
|         |  |  |      |      |      |      |       |        |      |      |      |      |  |
|         |  |  |      |      |      |      |       |        |      |      |      |      |  |
|         |  |  |      |      |      |      |       |        |      |      |      |      |  |
|         |  |  |      |      |      |      |       |        |      |      |      |      |  |
| -       |  |  |      |      |      |      |       |        |      |      |      |      |  |



|          |   |                    | Use Door Style to determine p |               |         |                |         |      |      |      |      | rice column |  |  |
|----------|---|--------------------|-------------------------------|---------------|---------|----------------|---------|------|------|------|------|-------------|--|--|
|          |   |                    |                               |               |         | F              | Price L | ist  |      |      |      |             |  |  |
|          |   | Order Item         | 1                             | 2             | 3       | 4              | 5       | 6    | 7    | 8    | 9    | 10          |  |  |
| 96" T    | all Utility with Tall Door  | UTTD1296-R         | 2098                          | 1921          | 1822    | 1785           | 1725    | 1666 | 1610 | 1587 | 1497 | 142         |  |  |
| , ,      | 24" Deep  | UTTD1296-L         | 2098                          | 1921          | 1822    | 1785           | 1725    | 1666 | 1610 | 1587 | 1497 | 142         |  |  |
|          | Single Door   | UTTD1596-R         | 2238                          | 2045          | 1941    | 1904           | 1841    | 1776 | 1716 | 1694 | 1594 | 152         |  |  |
|          | _   | UTTD1596-L         | 2238                          | 2045          | 1941    | 1904           | 1841    | 1776 | 1716 | 1694 | 1594 | 152         |  |  |
|          | <ul><li>2 Adjustable Upper Shelves</li><li>4 Adjustable Lower Shelves</li></ul> | UTTD1896-R         | 2374                          | 2169          | 2058    | 2018           | 1950    | 1882 | 1821 | 1793 | 1691 | 161         |  |  |
|          | Upper section will line up with   | UTTD1896-L         | 2374                          | 2169          | 2058    | 2018           | 1950    | 1882 | 1821 | 1793 | 1691 | 161         |  |  |
|          | standard 36" tall wall cabinet.   | UTTD2196-R         | 2462                          | 2253          | 2132    | 2090           | 2019    | 1950 | 1883 | 1860 | 1756 | 170         |  |  |
|          | Reduction in height will change   | UTTD2196-L         |                               |               |         | 2090           |         |      |      |      |      |             |  |  |
| <b>↓</b> | top section.  | UTTD2496-R         |                               |               |         | 2164           |         |      |      |      |      |             |  |  |
|          |   | UTTD2496-L         | 2556                          | 2338          | 2207    | 2164           | 2092    | 2020 | 1951 | 1927 | 1822 | 179         |  |  |
| 96" Ta   | ll Utility with Tall Doors  | UTTD2496-2         | 3254                          | 2977          | 2788    | 2733           | 2645    | 2565 | 2468 | 2446 | 2321 | 2254        |  |  |
|          | 24" Deep  | UTTD2796           | 3666                          | 3355          | 3161    | 3098           | 2998    | 2901 | 2797 | 2765 | 2615 | 2519        |  |  |
|          | Butt Doors  | UTTD3096           | 4074                          | 3731          | 3533    | 3463           | 3349    | 3233 | 3125 | 3085 | 2905 | 2782        |  |  |
|          | 2 Adjustable Upper Shelves  | UTTD3396           | 4203                          | 3845          | 3646    | 3574           | 3455    | 3336 | 3226 | 3180 | 2998 | 2869        |  |  |
|          | 4 Adjustable Lower Shelves  | UTTD3696           | 4331                          | 3962          | 3758    | 3683           | 3560    | 3438 | 3324 | 3278 | 3087 | 2956        |  |  |
|          | Upper section will line up with standard 36" tall wall cabinet.                 |                    |                               |               |         |                |         |      |      |      |      |             |  |  |
|          | Reduction in height will change top section.                                    |                    |                               |               |         |                |         |      |      |      |      |             |  |  |
| 96" T    | all Utility with Tall Door  | UTTD1296-12-R      | 185                           | 2 169         | 3 160   | 2 1569         | 1518    | 1466 | 1415 | 1399 | 1321 | <br>1259    |  |  |
| , ,      | 12" Deep  | UTTD1296-12-L      | 185                           | 2 169         | 3 160   | 2 1569         | 1518    | 1466 | 1415 | 1399 | 1321 | 1259        |  |  |
|          | Single Door   | UTTD1596-12-R      | 197                           | 5 180         | 8 171   | 1677           | 1620    | 1568 | 1513 | 1495 | 1410 | 1342        |  |  |
|          | 2 Adjustable Upper Shelves  | UTTD1596-12-L      | 197                           | 5 180         | 8 171   | 1677           | 1620    | 1568 | 1513 | 1495 | 1410 | 1342        |  |  |
|          | 4 Adjustable Lower Shelves  | UTTD1896-12-R      | 208                           | 8 191         | 0 181   | 2 1778         | 3 1718  | 1659 | 1604 | 1582 | 1485 | 1421        |  |  |
|          | Upper section will line up with   | UTTD1896-12-L      | 208                           | 8 191         | 0 181   | 2 1778         | 3 1718  | 1659 | 1604 | 1582 | 1485 | 1421        |  |  |
|          | standard 36" tall wall cabinet.   | UTTD2196-12-R      |                               |               |         |                |         |      |      |      |      |             |  |  |
|          | Reduction in height will change top section.                                    | UTTD2196-12-L      |                               |               |         |                |         |      |      |      |      | _           |  |  |
|          | top section.  | UTTD2496-12-R      |                               |               |         |                |         |      |      |      |      |             |  |  |
|          |   | UTTD2496-12-L      | 235                           | 9 216         | 0 205   | 2 2012         | 1944    | 1878 | 1817 | 1791 | 1681 | 1608        |  |  |
| 96" Ta   | ll Utility with Tall Doors  | UTTD2496-12-2      | 301                           | 3 <b>27</b> 5 | 7 258   | 5 <b>25</b> 34 | 2452    | 2383 | 2287 | 2273 | 2150 | 2060        |  |  |
| ^        | 12" Deep  | UTTD2796-12        | 330                           | 0 301         | 6 284   | 6 <b>27</b> 90 | 2697    | 2616 | 2519 | 2491 | 2352 | 2248        |  |  |
|          | Butt Doors  | UTTD3096-12        | 358                           | 2 327         | 8 310   | 3047           | 2943    | 2845 | 2749 | 2711 | 2554 | 2437        |  |  |
| III III  | <ul><li>2 Adjustable Upper Shelves</li><li>4 Adjustable Lower Shelves</li></ul> | UTTD3396-12        | 368                           | 7 337         | 1 319   | 7 3137         | 3032    | 2928 | 2830 | 2790 | 2627 | 2508        |  |  |
|          | Upper section will line up with standard 36" tall wall cabinet.                 | UTTD3696-12        | 379                           | 3 346         | 7 328   | 3226           | 3117    | 3009 | 2910 | 2869 | 2700 | 2579        |  |  |
|          | Reduction in height will change top section.                                    | For loose toe kick | a, add m                      | odificati     | on code | LTK.           |         |      |      |      |      |             |  |  |
| -        | and of the second   |                    | Т-6                           |               |         |                |         |      |      |      |      |             |  |  |



|  |  |          |          |          |          |          | 7001 Siy     |          |          | p        |          |  |  |  |  |  |  |  |
|--|--|----------|----------|----------|----------|----------|--------------|----------|----------|----------|----------|--|--|--|--|--|--|--|
| All accessories are loose items. For   |  |          |          |          |          | Price 1  | List         |          |          |          |          |  |  |  |  |  |  |  |
| installed items, see the modifications   | Order Item   | 1        | 2        | 3        | 4        | 5        | 6            | 7        | 8        | 9        | 10       |  |  |  |  |  |  |  |
| Vinyl Shelves  VSPLY = Vinyl Plywood Core  | Price per square foot:  VSPLY                          | 20       | 20       | 20       | 20       | 20       | 20           | 20       | 20       | 20       | 20       |  |  |  |  |  |  |  |
| VSPTB—Vinyl<br>Furniture Board Core  | VSPTB  | 17       | 17       | 17       | 17       | 17       | 17           | 17       | 17       | 17       | 17       |  |  |  |  |  |  |  |
| 3/4"Finished Shelves   | Price per square foot:                                 |          |          |          |          |          |              |          |          |          |          |  |  |  |  |  |  |  |
| FSPLY = Finished Shelf Plywood Core  | FSPLY<br>FSPTB   | 26<br>21 | 26<br>21 | 26<br>21 | 26<br>21 | 26<br>21 | 26<br>21     | 26<br>21 | 26<br>21 | 26<br>21 | 26<br>21 |  |  |  |  |  |  |  |
| FSPTB = Finished Shelf Furniture Board Core  |  |          |          |          |          |          |              |          |          |          |          |  |  |  |  |  |  |  |
| Finished on 2 sides and banded on 1 edge   |  |          |          |          |          |          |              |          |          |          |          |  |  |  |  |  |  |  |
| Wood Frame for Glass Shelving  1/ 1/4" Specify UCM-100 or UCM-200 profile. Default profile is UCM-200 unless noted on order. | Price per square foot: WDGLASHF Glass is not included. | 47       | 47       | 47       | 47 4     | 47 4     | <b>1</b> 7 4 | 7 4      | 7 4      | 7 47     | •        |  |  |  |  |  |  |  |
| False Front Tray   | FFTRAY  •4" minimum open                               |          |          | 83       | 83       |          | 83           | 83       | 83       | 83 8     | 33       |  |  |  |  |  |  |  |
|  | Approximately 1 5                                      | 5/8" pro | trusion  | into c   | cabinet  |          |              |          |          |          |          |  |  |  |  |  |  |  |



|  |   | Use Door Style to determine price column |          |          |           |          |          |            |          |          |          |
|--|---|--|----------|----------|-----------|----------|----------|------------|----------|----------|----------|
| All modifications are installed items or changes to cabinetry. |   |  |          |          |           | Price    | List     |            |          |          |          |
| For loose items, see accessories section.                      | Order Item  | 1  | 2        | 3        | 4         | 5        | 6        | 7          | 8        | 9        | 10       |
| Wide Top Rail  | Tall, Wall, Vanity  |  |          |          |           |          |          |            |          |          |          |
| _  | WTR3<br>WTR6  | 52                                       | 52       | 52       | 52        | 52       | 52       | 52         | 52       | 52       | 52       |
| Door will<br>overlay<br>top rail by<br>1/2"                    | WTR9  | 65<br>78                                 | 65<br>78 | 65<br>78 | 65<br>78  | 65<br>78 | 65<br>78 | 65<br>78   | 65<br>78 | 65<br>78 | 65<br>78 |
| Does not add to the  | Rail Width  | Revea                                    | al Abo   | ve Doo   | or        |          |          |            |          |          |          |
| height of the  | 3"  |  | 2 1/2    | "        |           |          |          |            |          |          |          |
| cabinet.   | 6"  |  | 5 1/2    | "        |           |          |          |            |          |          |          |
|  | 9"  |  | 8 1/2    | ,,       |           |          |          |            |          |          |          |
|  |   |  |          |          |           |          |          |            |          |          |          |
| Extended Top Rail  | Tall, Wall, Vanity  |  |          |          |           |          |          |            |          |          |          |
| Entended Top Itali   | ETR3  | 252                                      | 252      | 252      | 252       |          | 252      | 252        | 252      | 252      | 252      |
| Door will  | ETR6  | 265                                      | 265      | 265      | 265       |          | 265      | 265        | 265      | 265      | 265      |
| overlay top  | ETR9  | 278                                      | 278      | 278      | 278       | 278      | 278      | 278        | 278      | 278      | 278      |
| rail by 1/2"  Adds to the height of the                        | ETR modification should be needed.  Ex: ETR4 will receive |  |          |          |           |          |          |            |          |          |          |
| cabinet.   | 1/2"). A W3030 becom                                      |  |          | e top i  | a11. (1   | 1/2 ¬    | r 4 – 3  |            |          |          |          |
|  | Sides are extended up &                                   | may be c                                 | ut away  | during   | ; install | ation if | needed   | l <b>.</b> |          |          |          |
| Attached Valance Wall-   | Top Rail Valance  |  |          |          |           |          |          |            |          |          |          |
| Top or Bottom Rail   | TRVVA4  | 222                                      | 222      | 222      | 222       | 222      | 222      | 222        | 222      | 222      | 222      |
| 5" Wide Top<br>Rail.   |   |  |          |          |           |          |          |            |          |          |          |
|  | Wall—   |  |          |          |           |          |          |            |          |          |          |
|  | Straight Valance  |  |          |          |           |          |          |            |          |          |          |
|  | AVWVS1  | 213                                      | 213      | 213      | 213       | 213      | 213      | 213        | 213      | 213      | 213      |
|  | Wall—   |  |          |          |           |          |          |            |          |          |          |
|  | Arched Valance<br>AVWVA4                                  | 222                                      | 222      | 222      | 222       | 222      | 222      | 222        | 222      | 222      | 222      |
|  | Wall—   |  |          |          |           |          |          |            |          |          |          |
| 4 1/2" Wide  | Overlay Straight  |  |          |          |           |          |          |            |          |          |          |
| Bottom Rail.   | AVWOSV  | 319                                      | 319      | 319      | 319       | 319      | 319      | 319        | 319      | 319      | 319      |
| Recessed Finished Bottom included.                             | Valance will add 3" to height (4 1/2" bottom rail.)       |  |          |          |           |          |          |            |          |          |          |

| Use Door Style to determine price colu                         |   |           |           |           |          |          |          |          |          | olumn    |          |  |
|--|---|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|--|
| All modifications are installed items or changes to cabinetry. |   |           |           |           |          | Price    |          | _        |          |          | 10       |  |
| For loose items, see accessories section.                      | Order Item  | 1         | 2         | 3         | 4        | 5        | 6        | 7        | 8        | 9        | 10       |  |
| Wide Bottom Rail   | Wall  |           |           |           |          |          |          |          |          |          |          |  |
|  | WBR3  | 113       | 113       | 113       | 113      | 113      | 113      | 113      | 113      | 113      | 113      |  |
|  | Traditional overlay doors wi  | ll overla | p bottor  | n rail 1/ | 2".      |          |          |          |          |          |          |  |
|  | Full overlay doors will overl   | an the h  | ottom ra  | nil 1 1/4 | ,,       |          |          |          |          |          |          |  |
|  | -   | •         |           |           | •        |          |          |          |          |          |          |  |
|  | Allows for the use of larger t  | under ca  | binet lig | ghting.   |          |          |          |          |          |          |          |  |
|  | 12" tall cabinets should be h   | inged up  | ward.     |           |          |          |          |          |          |          |          |  |
|  | 3" bottom rail provides 2 1/4   | l" recess | i.        |           |          |          |          |          |          |          |          |  |
|  | F   |           |           |           |          |          |          |          |          |          |          |  |
|  |   |           |           |           |          |          |          |          |          |          |          |  |
|  |   |           |           |           |          |          |          |          |          |          |          |  |
|  |   |           |           |           |          |          |          |          |          |          |          |  |
|  |   |           |           |           |          |          |          |          |          |          |          |  |
| <b>Extended Bottom Rail</b>                                    | Wall  |           |           |           |          |          |          |          |          |          |          |  |
|  | EBR3  | 52        | 52        | 52        | 52       | 52       | 52       | 52       | 52       | 52       | 52       |  |
|  | EBR6  | 65        | 65        | 65        | 65       | 65       | 65       | 65       | 65       | 65       | 65       |  |
|  | EBR9  | 78        | 78        | 78        | 78       | 78       | 78       | 78       | 78       | 78       | 78       |  |
|  | Traditional overlay doors will overlap bottom rail 1/2".                          |           |           |           |          |          |          |          |          |          |          |  |
|  | Full overlay doors will overlap the bottom rail 1 1/4".                           |           |           |           |          |          |          |          |          |          |          |  |
|  |   |           |           |           |          |          |          |          |          |          |          |  |
|  | EBR modification should be followed by the extension amount (over 1 1/2") needed. |           |           |           |          |          |          |          |          |          |          |  |
|  | Ex: EBR4 will receive   | a 5 1/    | 2" wid    | le bott   | om rai   | l. (1 1/ | 2" + 4   |          |          |          |          |  |
|  | = 5 1/2"). A W3030 be   | comes     | W303      | 34.       |          |          |          |          |          |          |          |  |
|  |   |           |           |           |          |          |          |          |          |          |          |  |
|  |   |           |           |           |          |          |          |          |          |          |          |  |
| <b>Change Door Overlay</b>                                     | CDO-T   | 52        | 52        | 52        | 52       | 52       | 52       | 52       | 52       | 52       | 52       |  |
|  | CDO-B<br>CDO-S  | 52<br>52  | 52<br>52  | 52<br>52  | 52<br>52 | 52<br>52 | 52<br>52 | 52<br>52 | 52<br>52 | 52<br>52 | 52<br>52 |  |
| CDO-T = Change door over-                                      | CDO-S   | 52        | 52        | 52        | 52       | 52       | 52       | 52       | 52       | 52       | 52       |  |
| lay on top rail.   | 00011   | 02        | 02        | 02        | 02       | 02       | 02       | 02       | 02       | 02       | 02       |  |
| CDO-B = Change door over-                                      | Hinge side is limited to  | 0 1/2"    | or 1.1.   | /4" 03/   | rlov     |          |          |          |          |          |          |  |
| lay on bottom rail.  | minge side is ininted to  | 0 1/2     | OI 1 1/   | 4 OVE     | may.     |          |          |          |          |          |          |  |
| CDO-S = Change door over-                                      |   |           |           |           |          |          |          |          |          |          |          |  |
| lay on side w/o Hinge.   |   |           |           |           |          |          |          |          |          |          |          |  |
| CDO-H = Change door over-                                      |   |           |           |           |          |          |          |          |          |          |          |  |
| lay on side with Hinge.  |   |           |           |           |          |          |          |          |          |          |          |  |
|  |   |           |           |           |          |          |          |          |          |          |          |  |
|  |   |           |           |           |          |          |          |          |          |          |          |  |

|   |                                   | Use Door Style to determine price column |     |     |     |       |      |     |     |     | olumn |
|---|-----------------------------------|--|-----|-----|-----|-------|------|-----|-----|-----|-------|
| All modifications are installed items   |                                   |  |     |     |     | Price | List |     |     |     |       |
| or changes to cabinetry. For loose items, see accessories section.  | Order Item                        | 1  | 2   | 3   | 4   | 5     | 6    | 7   | 8   | 9   | 10    |
| Roll Out Shelf<br>(Furniture Board)   | Sidemount Full Ext<br>ROS30-FXSMS | 338                                      | 338 | 338 | 338 | 338   | 338  | 338 | 338 | 338 | 338   |
| 3/4" Shelf Finished to match interior of cabinet. Up to 30"wide   |                                   |  |     |     |     |       |      |     |     |     |       |
| Mounted on Full Extension Side Mount  |                                   |  |     |     |     |       |      |     |     |     |       |
|   |                                   |  |     |     |     |       |      |     |     |     |       |
| Decorative Shelf Edge   | DSE                               | 75                                       | 75  | 75  | 75  | 75    | 75   | 75  | 75  | 75  | 75    |
| Specify profile for edge .Choose from standard door edges or BC-7508 profiles.  Finished Interior Shelves only. |                                   |  |     |     |     |       |      |     |     |     |       |
|   |                                   |  |     |     |     |       |      |     |     |     |       |



| -  | 1   |             |                   |         |       |        |         | BC BOO! | Siyic io | иететтип | e price c | Otumn |
|--|---|-------------|-------------------|---------|-------|--------|---------|---------|----------|----------|-----------|-------|
| All modifications are installed items                              |   |             |                   |         |       |        | Pric    | e List  |          |          |           |       |
| or changes to cabinetry. For loose items, see accessories section. |   | Order Item  | 1                 | 1 2     | 3     | 4      | 5       | 6       | 7        | 8        | 9         | 10    |
| Heavy Duty Side  | HVYD  |             | 175               | 175     | 175   | 175    | 175     | 175     | 175      | 175      | 175       | 175   |
| Mount Slides   | 200 lb capacity<br>Full extension<br>Use in cabinets<br>Use on drawers<br>shelves, pullout<br>Drawer box wil<br>strength. | that requi  | ire mo<br>or slid | ore wei | elves | -      |         |         |          |          |           |       |
| Lateral Stabilizer   | STABIL  |             | 220               | 220     | 220   | 220    | 220     | 220     | 220      | 220      | 220       | 220   |
|  | Synchronizes d<br>A great add on  |             |                   |         |       |        |         |         |          |          |           | sing. |
| Soft Close Door  | SFTCLSDR  |             | 7                 | 7       | 7     | 7      | 7       | 7       | 7        | 7        | 7         | 7     |
|  | Soft Close is in  | tegrated in | nto hii           | nge.    |       |        |         |         |          |          |           |       |
| Furniture Board Box  | FBB   |             |                   | D       | educt | 10% f  | rom c   | abinet  | price.   |          |           |       |
|  | Charge applie   | es to cabin | ets on            | ıly     |       |        |         |         |          |          |           |       |
| Solid Maple Dovetail<br>Drawer Box                                 | SD  |             |                   |         |       | Add S  | \$80 pe | er draw | ver bo   | Χ.       |           |       |
| 5 Piece Drawer Front   | 5PC   |             |                   |         |       | Add \$ | 85 pe   | r draw  | er fror  | nt.      |           |       |
|  |   |             |                   |         |       |        |         |         |          |          |           |       |
|  |   |             |                   |         |       |        |         |         |          |          |           |       |
|  |   |             |                   |         |       |        |         |         |          |          |           |       |
|  |   |             |                   |         |       |        |         |         |          |          |           |       |
|  |   |             |                   |         |       |        |         |         |          |          |           |       |
|  | I   |             |                   |         |       |        |         |         |          |          |           |       |